

CSS QUICK REFERENCE

B

Chapters 2 through 10 present in detail the CSS properties and values and how to use them. In this online resource, those properties are presented in a more concise format, and include their possible values and browser compatibility. These tables also include information about the applicability of each property in the various types of HTML tags. Each property is described in terms of what it can be used with, whether the property is inherited by its child elements, and whether the property is supported by various browsers and operating systems.

- ◆ **Table B.1:** CSS Basics (Chapter 2)
- ◆ **Table B.2:** Pseudo-classes and pseudo-Elements (Chapter 2)
- ◆ **Table B.3:** Font Properties (Chapter 3)
- ◆ **Table B.4:** Text Properties (Chapter 4)
- ◆ **Table B.5:** Color and Background Properties (Chapter 5)
- ◆ **Table B.6:** Box Properties (Chapter 6)
- ◆ **Table B.7:** Visual Formatting Properties (Chapter 7)
- ◆ **Table B.8:** Visual Effect and UI Properties (Chapter 8)
- ◆ **Table B.9:** Table Properties (Chapter 9)
- ◆ **Table B.10:** Generated Content and List Properties (Chapter 10)

Browsers Legend

IE	Internet Explorer
FF	Firefox
S	Safari
O	Opera

In addition to the browsers listed, remember that Firefox is based on the same Gecko rendering engine as all other Mozilla type browsers. Therefore, generally speaking, Netscape 7, Flock, and Camino will have roughly the same compatibility as Firefox 1.5.

Compatibility Legend

Y	Mac and Windows
○	Neither
M	Mac only
P	Problems
All	Property can be applied to any HTML tag
Block	Property can be applied only to block-level tags
Inline	Property can be applied only to inline tags

Boldface indicates the default value for that property

Properties marked with a **P** in the browser columns are partially implemented or buggy in one or both operating systems. I generally recommend avoiding these properties.

Table B.1

CSS Basics						
NAME	IE6	IE7	FF1.5	FF2	O9	S2
<style>	■	■	■	■	■	■
<link>	■	■				■
.class	■	■	■	■	■	■
#ID	■	■	■	■	■	■
@import	P	P	■	■	■	■
@media	P	P	■	■	■	■
A B	○	P	■	■	■	■
A>B	○	P	■	■	■	■
A+B	○	P	■	■	■	■
[attr]	○	■	■	■	■	■
Comments	■	■	■	■	■	■
!important	■	■	■	■	■	■
page-break-before, page-break-after	■	■	■	■	■	■

Table B.2

Pseudo-Classes and Pseudo-Elements									
NAME	VALUE	APPLIES TO	INHERITED	IE6	IE7	FF1.5	FF2	O9	S2
:active	—	Anchor	No	■	■	■	■	■	■
:after	—	Block	No	○	○	■	■	■	○
:before	—	Block	No	○	○	■	■	■	○
:hover	—	All	No	P*	■	■	■	■	■
:first-child	—	Block	No	○	P	■	■	■	■
:first-letter	—	Block	No	P	P	■	■	■	■
:first-line	—	Block	No	P	P	P	■	P	P
:focus	—	All	No	○	○	■	■	■	■
:lang()	—	All	Yes	○	○	■	■	■	■
:link	—	Anchor	No	■	■	■	■	■	■
:visited	—	Anchor	No	■	■	■	■	■	■

*Applies only to Anchor tags

Table B.3

Font Properties									
NAME	VALUE	APPLIES TO	INHERITED	IE6	IE7	FF1.5	FF2	O9	S2
font	<font-style>	All	Yes	■	■	■	■	■	■
	<font-variant>			■	■	■	■	■	■
	<font-weight>			■	■	■	■	■	■
	<font-size>/<lineheight>			■	■	■	■	■	■
font-family	<family-name>	All	Yes	■	■	■	■	■	■
	serif			■	■	■	■	■	■
	sans-serif			■	■	■	■	■	■
	cursive			■	■	■	■	■	■
	fantasy			■	■	■	■	■	■
	monospace			■	■	■	■	■	■
	inherit			○	○	■	■	■	■
font-size	<length>	All	Yes	■	■	■	■	■	■
	<percentage>			■	■	■	■	■	■
	smaller			■	■	■	■	■	■
	larger			■	■	■	■	■	■
	xx-small			■	■	■	■	■	■
	x-small			■	■	■	■	■	■
	small			■	■	■	■	■	■
	medium			■	■	■	■	■	■
	large			■	■	■	■	■	■
	x-large			■	■	■	■	■	■
	xx-large			■	■	■	■	■	■
	<font-family>			■	■	■	■	■	■
	inherit			○	○	■	■	■	■
font-style	normal	All	Yes	■	■	■	■	■	■
	italic			■	■	■	■	■	■
	oblique			■	■	■	■	■	■
	inherit			○	○	■	■	■	■
font-variant	normal	All	Yes	■	■	■	■	■	■
	small-caps			■	■	■	■	■	■
	inherit			○	○	■	■	■	■
font-weight	normal	All	Yes	■	■	■	■	■	■
	bold			■	■	■	■	■	■
	bolder			■	■	■	■	■	■
	lighter			■	■	■	■	■	■
	100-900*			■	■	■	■	■	■
	inherit			○	○	■	■	■	■

*Requires the visitor's computer to have display-weighted fonts available

Table B.4

Text Properties									
NAME	VALUE	APPLIES TO	INHERITED	IE6	IE7	FF1.5	FF2	O9	S2
direction	rtl	All	Yes	■	■	■	■	■	■
	ltr			■	■	■	■	■	■
letter-spacing	normal	All	Yes	■	■	■	■	■	■
	<length>			■	■	■	■	■	■
line-height	inherit	All	Yes	○	○	■	■	■	■
	normal			■	■	■	■	■	■
	<number>			■	■	■	■	■	■
	<length>			■	■	■	■	■	■
	<percentage>			■	■	■	■	■	■
text-align	inherit	Block	Yes	○	○	■	■	■	■
	auto			■	■	■	■	■	■
	left			■	■	■	■	■	■
	right			■	■	■	■	■	■
	center			■	■	■	■	■	■
text-decoration	justify	All	No	■	■	■	■	■	■
	inherit			○	○	■	■	■	■
	none			■	■	■	■	■	■
	underline			■	■	■	■	■	■
	overline			■	■	■	■	■	■
text-indent	line-through	Block	Yes	○	○	■	■	■	■
	blink*			○	○	■	■	■	■
	inherit			○	○	■	■	■	■
	<length>			■	■	■	■	■	■
text-transform	<percentage>	All	Yes	■	■	■	■	■	■
	inherit			○	○	■	■	■	■
	none			■	■	■	■	■	■
unicode-bidi	capitalize	All	Yes	■	■	■	■	■	■
	uppercase			■	■	■	■	■	■
	lowercase			■	■	■	■	■	■
	inherit			○	○	■	■	■	■
	bidirectional-override			■	■	■	■	■	■
embed	embed	All	Yes	■	■	■	■	■	■
	normal			■	■	■	■	■	■
	inherit			○	○	■	■	■	■

table continues on next page

Table B.4 *continued*

Text Properties									
NAME	VALUE	APPLIES TO	INHERITED	IE6	IE7	FF1.5	FF2	O9	S2
vertical-align	baseline	Inline	No	■	■	■	■	■	■
	<percentage>			■	■	■	■	■	■
	sub			■	■	■	■	■	■
	super			■	■	■	■	■	■
	top			■	■	■	■	■	■
	text-top			■	■	■	■	■	■
	middle			■	■	■	■	■	■
	bottom			■	■	■	■	■	■
	text-bottom			■	■	■	■	■	■
	inherit			○	○	■	■	■	■
white-space	normal	Block	Yes	■	■	■	■	■	■
	pre			■	■	■	■	■	■
	nowrap			■	■	■	■	■	■
	pre-wrap			○	○	■	■	■	■
	pre-line			○	○	■	○	○	○
	inherit			○	○	■	■	■	■
word-spacing	normal	All	Yes	■	■	■	■	■	■
	<length>			■	■	■	■	■	■
	inherit			○	○	■	■	■	■

*Because it can be highly annoying, many browsers do not support blink, or they allow users to turn it off.

Table B.5

Color and Background Properties									
NAME	VALUE	APPLIES TO	INHERITED	IE6	IE7	FF1.5	FF2	09	S2
background	<background-color>	All	No	■	■	■	■	■	■
	<background-image>			■	■	■	■	■	■
	<background-repeat>			■	■	■	■	■	■
	<background-attachment>			■	■	■	■	■	■
	<background-position>			P	P	■	■	■	■
inherit	○	○	■	■	■	■	■		
background- attachment	scroll	All	No	■	■	■	■	■	■
	fixed			■	■	■	■	■	■
	inherit			○	○	■	■	■	■
background-color	<color>	All	No	■	■	■	■	■	■
	transparent			■	■	■	■	■	■
background-image	inherit	All	No	○	○	■	■	■	■
	none			■	■	■	■	■	■
	url(<url>)			■	■	■	■	■	■
background- position	inherit	Block	No	○	○	■	■	■	■
	<percentage>			P	P	■	■	■	■
	<length>			P	P	■	■	■	■
	top			P	P	■	■	■	■
	center (vertical)			P	P	■	■	■	■
	bottom			P	P	■	■	■	■
	left			P	P	■	■	■	■
	center (horizontal)			P	P	■	■	■	■
	right			P	P	■	■	■	■
	inherit			○	○	■	■	■	■
background-repeat	repeat	All	No	■	■	■	■	■	■
	repeat-x			■	■	■	■	■	■
	repeat-y			■	■	■	■	■	■
	no-repeat			■	■	■	■	■	■
	inherit			○	○	■	■	■	■
color	<color>	All	Yes	■	■	■	■	■	■
	inherit			○	○	■	■	■	■
	text-bottom			■	■	■	■	■	■

Table B.6

Box Properties									
NAME	VALUE	APPLIES TO	INHERITED	IE6	IE7	FF1.5	FF2	O9	S2
border	<border-width>	All	No	■	■	■	■	■	■
	<border-style>			P*	P*	■	■	■	■
	<color>			■	■	■	■	■	■
border-color	inherit	All	No	○	○	■	■	■	■
	<color>			■	■	■	■	■	■
border-style	transparent	All	No	P	■	■	■	■	■
	inherit			○	○	■	■	■	■
	none			■	■	■	■	■	■
	hidden			○	○	■	■	■	■
	dotted			P*	P*	■	■	■	■
	dashed			■	■	■	■	■	■
	solid			■	■	■	■	■	■
	double			■	■	■	■	■	■
	groove			■	■	■	■	■	■
	ridge			■	■	■	■	■	■
	inset			■	■	■	■	■	■
	outset			■	■	■	■	■	■
	inherit			○	○	■	■	■	■
border-top, -right, -bottom, -left	<border-width>	All	No	■	■	■	■	■	■
	<border-style>			P*	P*	■	■	■	■
	<color>			■	■	■	■	■	■
	inherit			○	○	■	■	■	■
border-top, -right, -bottom, left-width	medium	All	No	■	■	■	■	■	■
	<length>			■	■	■	■	■	■
	thin			■	■	■	■	■	■
	thick			■	■	■	■	■	■
	inherit			○	○	■	■	■	■
border-width	medium	All	No	■	■	■	■	■	■
	<length>			■	■	■	■	■	■
	thin			■	■	■	■	■	■
	thick			■	■	■	■	■	■
	inherit			○	○	■	■	■	■
display	block	All	No	■	■	■	■	■	■
	inline			■	■	■	■	■	■
	inline-table			○	○	○	○	■	○
	list-item			■	■	■	■	■	■
	run-in			○	○	○	○	■	○
	inline-block			○	○	○	○	■	○
				○	○	○	○	■	○

table continues on next page

Table B.6 *continued*

Box Properties									
NAME	VALUE	APPLIES TO	INHERITED	IE6	IE7	FF1.5	FF2	O9	S2
	table			■	■	■	■	■	■
	table-caption			○	○	■	■	■	■
	table-cell			○	○	■	■	■	■
	table-column			○	○	P	P	P	P
	table-column-group			○	○	P	P	P	P
	table-footer-group			P	P	■	■	■	■
	table-header-group			P	P	■	■	■	■
	table-row			○	○	■	■	■	■
	table-row-group			○	○	■	■	■	■
	none			■	■	■	■	■	■
	inherit			○	○	■	■	■	■
height	auto	Block	No	■	■	■	■	■	■
	<length>			■	■	■	■	■	■
	<percentage>			■	■	■	■	■	■
margin	inherit	All	No	○	○	■	■	■	■
	<length>			■	■	■	■	■	■
	<percentage>			■	■	■	■	■	■
	auto			■	■	■	■	■	■
margin-top, -right, -bottom, -left	inherit	All	No	○	○	■	■	■	■
	<length>			■	■	■	■	■	■
	<percentage>			■	■	■	■	■	■
	auto			■	■	■	■	■	■
max-width, min-width, max-height, max-width	inherit	All	No	○	○	■	■	■	■
	<length>			○	■	■	■	■	■
	inherit			○	○	■	■	■	■
-moz-border-radius, -bottomleft, -bottomright, -topleft, -topright,	<length>	Block	No	○	○	■	■	○	○
	<percentage>			○	○	■	■	○	○
	inherit			○	○	■	■	○	○
padding	<length>	All	No	■	■	■	■	■	■
	<percentage>			■	■	■	■	■	■
	inherit			○	○	■	■	■	■

table continues on next page

Table B.6 *continued*

Box Properties									
NAME	VALUE	APPLIES TO	INHERITED	IE6	IE7	FF1.5	FF2	O9	S2
padding-top, -right, -bottom, -left	<length>	All	No	■	■	■	■	■	■
	<percentage>			■	■	■	■	■	■
	inherit			○	○	■	■	■	■
width	auto	Block	No	P	■	■	■	■	■
	<length>			P	■	■	■	■	■
	<percentage>			P	■	■	■	■	■
	inherit			○	○	■	■	■	■

*Dotted same as dashed

Table B.7

Visual Formatting Properties									
NAME	VALUE	APPLIES TO	INHERITED	IE6	IE7	FF1.5	FF2	09	S2
bottom	auto	All*	No	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
	<length>			<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
clear	<percentage>	All	No	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
	inherit			<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
	none			<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
	left			<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
	right			<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
	both			<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
float	inherit	All	No	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
	none			<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
	left			<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
	right			<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
left	inherit	All*	No	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
	auto			<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
	<length>			<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
	<percentage>			<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
position	inherit	All	No	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
	static			<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
	absolute			<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
	relative			<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
	fixed			<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
	inherit			<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
right	auto	All*	No	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
	<length>			<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
	<percentage>			<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
	inherit			<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
top	auto	All*	No	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
	<length>			<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
	<percentage>			<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
z-index	inherit	All	No	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
	auto			<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
	number			<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
	inherit			<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	

*The position property for the element must also be set to absolute or relative.

Table B.8

Visual Effect and User Interface Properties									
NAME	VALUE	APPLIES TO	INHERITED	IE6	IE7	FF1.5	FF2	O9	S2
clip	auto rect(<top> <right> <bottom> <left>)*	All*	No	■	■	■	■	■	■
	inherit			○	○	■	■	■	■
cursor	auto crosshair hand** pointer move n-resize ne-resize e-resize se-resize s-resize sw-resize w-resize nw-resize text wait help	All	Yes	■	■	■	■	■	■
	opacity	All	Yes	○***	○****	■	■	■	■
overflow	visible hidden scroll	All	No	■	■	■	■	■	■
	auto inherit			○	○	■	■	■	■
visibility	inherit visible hidden collapse	All	Yes****	■	■	■	■	■	■
				○	○	■	■	P	■

*Should be rect (<top>,<right>,<bottom>,<left>), but IE does not support use of the comma.

**Same as pointer.

***IE supports opacity change using filters. See Chapter 8.

****If visibility is set to inherit.

Table B.9

Table Properties										
NAME	VALUE	APPLIES TO	INHERITED	IE6	IE7	FF1.5	FF2	O9	S21	O7
border-collapse	collapse	table	No	■	■	■	■	■	■	
	separate			○	○	○	○	○	○	
border-spacing	inherit	Table	No	○	○	■	■	■	■	
	<length>			○	○	○	○	○	○	
caption-side	top	Table	No	○	○	■	■	■	■	
	left			○	○	■	■	■	■	
	bottom			○	○	■	■	■	■	
	right			○	○	■	■	■	■	
	inherit			○	○	■	■	■	■	
empty-cells	show	Table	No	○	○	■	■	■	■	
	hide			○	○	■	■	■	■	
	inherit			○	○	■	■	■	■	
	inherit			○	○	■	■	■	■	

Table B.10

Generated Content and List Properties										
NAME	VALUE	APPLIES TO	INHERITED	IE6	IE7	FF1.5	FF2	O9	S2	
content	none	All	No	○	○	○	○	○	○	○
	normal			○	○	■	■	■	■	
	<string>			○	○	■	■	■	■	
	<URL>			○	○	■	■	■	■	
	<counter>			○	○	■	■	■	■	
	attr(<selector>)			○	○	■	■	■	■	
	open-quote			○	○	■	■	■	■	
	close-quote			○	○	■	■	■	■	
	no-open-quote			○	○	■	■	■	■	
	no-close-quote			○	○	■	■	■	■	
counter-increment	<num>	All	No	○	○	■	■	■	■	
	none			○	○	■	■	■	■	
counter-reset	inherit	All	No	○	○	■	■	■	■	
	<num>			○	○	■	■	■	■	
list-style	none	All	Yes	○	○	■	■	■	■	
	inherit			○	○	■	■	■	■	
	<list-style-type>			■	■	■	■	■	■	
	<list-style-position>			■	■	■	■	■	■	
	<list-style-image>			○	○	■	■	■	■	
	inherit			○	○	■	■	■	■	

table continues on next page

Table B.10 *continued*

Generated Content and List Properties									
NAME	VALUE	APPLIES TO	INHERITED	IE6	IE7	FF1.5	FF2	O9	S2
list-style-image	none	All	Yes	■	■	■	■	■	■
	url(<url>)			■	■	■	■	■	■
list-style-position	inherit	All	Yes	○	○	■	■	■	■
	outside			■	■	■	■	■	■
list-style-type	inside	All	Yes	■	■	■	■	■	■
	inherit			○	○	■	■	■	■
list-style-type	disc	All	Yes	■	■	■	■	■	■
	circle			■	■	■	■	■	■
	square			■	■	■	■	■	■
	decimal			■	■	■	■	■	■
	decimal-leading-zero			○	○	■	■	■	■
	lower-roman			■	■	■	■	■	■
	upper-roman			■	■	■	■	■	■
	lower-greek			○	○	■	■	■	■
	lower-latin			○	○	■	■	■	■
	upper-latin			○	○	■	■	■	■
	armenian			○	○	■	■	■	■
	georgian			○	○	■	■	■	■
	lower-alpha			■	■	■	■	■	■
	upper-alpha			■	■	■	■	■	■
	none			■	■	■	■	■	■
inherit	○	○	■	■	■	■			
quotes	<string>	All	No	○	○	■	■	■	■
	none			○	○	■	■	■	■
	inherit			○	○	■	■	■	■